

**TIMBERLAND ACRES SPECIAL ROAD DISTRICT NO. 1
CULVERT & DRIVEWAY REQUIREMENTS
RESOLUTION 91-1**

DATE: _____ OWNER'S NAME: _____

PARCEL #: _____ LOT #: _____ ADDRESS: _____

T. A. SPECIAL ROAD DISTRICT #1 CONTACT: _____

NUMBER OF DRIVEWAYS: _____ ROAD PERMIT NUMBER: _____

MINIMUM CULVERT SIZE IS 18" DIAMETER AND 20' LONG

1. It is the responsibility of the property owner or contractor to notify the Timberland Acres Special Road District (TASRD#1) of the intent to place a driveway entering the roadway.
2. All private driveways shall end at the property line.
3. Driveways should be constructed in a manner that will allow water to enter the drainage ditch and prevent water runoff from entering the roadway.
4. **Where driveways cause damage due to improper drainage design, the TASRD#1 shall repair damage at property owner's expense.**
5. On occasion, culvert installation beyond the property line may be required a maximum of 5 feet.
6. Property owner or contractor must notify TASRD#1 of all changes prior/during construction.
7. All changes will be at owner's expense. Please annotate all changes and designs on Page 2 of this permit.
8. This permit must be signed by the TASRD#1 contact.

